Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	639	(wireless$3 and database$2) and "on-line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:24
L2	55369	(wireless$3 and database$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:24
L3	55369	database$3 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:24
L4	87	database$3 near5 compar$4 near5 user$3 near5 (information data attribut$4 record$3 content$4) near5 (authenticat$4 authoriz$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:25
L5	32	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:27
L6	1303	"on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent) ((wireless near4 server) and (wireless adj device) and database) and ((wireless$3 near4 server$3) and (wireless$3 adj device) and database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:27

L7	1	((((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and ((((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:28
L10	1	((((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and ((((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:29
L11	18	((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:30

L12	1	((((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and ((((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
L13	1	((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
L14	1	((wireless near4 server) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
L15	18	(wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:32
L16	218	((wireless and database) and "on-line service") and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:33
S1	9349	wireless and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53

S2	1068	"on-line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53
S3	189	(wireless and database) and "on-line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:24
S4	425	"two-way pager"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:09
S5	33	"two-way pager" and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/29 16:53
S6	53	((wireless and database) and "on-line service") and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:33
S7	230	wireless adj2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/30 10:34
S8	6	(wireless adj server) and (wireless adj device) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:10
S9	118	(wireless adj2 server) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/30 10:35
S10	71	((wireless adj2 server) and database) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:56
S11	61	wireless adj2 e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/30 14:25

S12	32	wireless adj e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/30 14:25
S13	1188	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/05/01 09:00
S14	1116	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/05/01 09:00
S15	66	database$3 near5 compar$4 near5 user$3 near5 (information data attribut$4 record$3 content$4) near5 (authenticat$4 authoriz$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:25
S16	40871	wireless$3 and database$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:09
S17	1912	"on-line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:09
S18	1375	"two-way pager"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:09
S19	180	((wireless$3 and database$3) and "on-line service") and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:10
S20	924	(wireless near4 server) and (wireless adj device) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:10
S21	983	(wireless$3 near4 server$3) and (wireless adj device) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:10

| S22	15	(wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:32
S23	1	((wireless near4 server) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
S24	938	"on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent) ((wireless near4 server) and (wireless adj device) and database) and ((wireless$3 near4 server$3) and (wireless adj device) and database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:27
S25	1	"on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent) and ((wireless near4 server) and (wireless adj device) and database) and ((wireless$3 near4 server$3) and (wireless adj device) and database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:11
S26	1	((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
S27	15	((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:29

S28	1	(((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
S29	1	(((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and ((((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:31
S30	50855	wireless$3 and database$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53
S31	0	"on near5 line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53
S32	603	(wireless$3 and database) and "on-line service"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53

S33	207	((wireless$3 and database) and "on-line service") and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:53
S34	3039	((wireless near5 server) and database) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:54
S35	3039	((wireless near5 server) and database) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:56
S36	546	((wireless$3 adj2 server) and database) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:56
S37	1	(((wireless$2 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and ((((wireless$3 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15

S38	1	(((wireless$2 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and (((wireless$3 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
S39	1	((wireless$2 near4 server$3) and (wireless adj device) and database) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
S40	18	((wireless$2 and database$3) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)) and "on-line service" and "two-way pager" and (((wireless$3 and database$3) and "on-line service") and agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:16

USPTO

Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[wireless <and> two-way <and> communication <and> agent <and> auto <and> input]**
Found **6** of **156,259 searched.**

Search within Results

> Advanced Search

> Search Help/Tips

Sort by: Title   Publication   Publication Date   Score   🌀 Binder

Results 1 - 6 of 6   short listing

1 An Architecture for the Integration of Physical and Informational Spaces   77%
Scott M. Thayer , Peter Steenkiste
Personal and Ubiquitous Computing July 2003
Volume 7 Issue 2
> AbstractWhile computer processing power, storage capacity, and bandwidth are continuing to experience exponential growth, individual human processing capabilities are not increasing significantly. Pervasive computing offers an opportunity for applications to interact with the physical environment and to provide a task-centric and mobile infrastructure for the user. However, this rich environment can also be distracting, in part because of a lack of convergence between the physical infrastructure ...

2 Exploiting space and location as a design framework for interactive   77%
mobile systems
Alan Dix , Tom Rodden , Nigel Davies , Jonathan Trevor , Adrian Friday , Kevin Palfreyman
ACM Transactions on Computer-Human Interaction (TOCHI) September 2000
Volume 7 Issue 3
> This article considers the importance of context in mobile systems. It considers a range of context-related issues and focus on location as a key issue for mobile systems. A design framework is described consisting of taxonomies of location, mobility, population, and device awareness. The design framework inorms the construction of a semantic model of space for mobile systems. The semantic model is reflected in a computational model built on a distriuted platform that allows contextual info ...

3 Adapting to network and client variability via on-demand dynamic   77%
distillation
Armando Fox , Steven D. Gribble , Eric A. Brewer , Elan Amir
Proceedings of the seventh international conference on Architectural support for

programming languages and operating systems October 1996
Volume 30 , 31 Issue 5 , 9
> The explosive growth of the Internet and the proliferation of smart cellular phones and
> handheld wireless devices is widening an already large gap between Internet clients.
> Clients vary in their hardware resources, software sophistication, and quality of
> connectivity, yet server support for client variation ranges from relatively poor to none
> at all. In this paper we introduce some design principles that we believe are
> fundamental to providing "meaningful" Internet access for the entire range of ...

4 Pen computing: a technology overview and a vision   77%
André Meyer
ACM SIGCHI Bulletin July 1995
Volume 27 Issue 3
> This work gives an overview of a new technology that is attracting growing interest in
> public as well as in the computer industry itself. The visible difference from other
> technologies is in the use of a pen or pencil as the primary means of interaction
> between a user and a machine, picking up the familiar pen and paper interface
> metaphor. From this follows a set of consequences that will be analyzed and put into
> context with other emerging technologies and visions.Starting with a short historic ...

5 The Internet and interactive television   77%
Larry Press
Communications of the ACM December 1993
Volume 36 Issue 12

6 Special issue on wireless extensions to the internet: An adaptive per-   77%
host IP paging architecture
Claude Castelluccia , Pars Mutaf
ACM SIGCOMM Computer Communication Review October 2001
Volume 31 Issue 5

> <i>IP Paging</i> has received considerable attention recently. The IETF has decided
> to develop an IP Paging protocol and some IP Paging protocols have been proposed by
> researchers [13, 12]. However all of these proposals use static and manually
> configured paging areas. We argue that the size and the shape of paging areas are
> very critical for the performance of a paging system. A system that allows each host
> to use a paging area that adapts to its mobility and communication patterns w ...

Results 1 - 6 of 6   short listing

P❖RTAL
THE ACM DIGITAL LIBRARY

Try the *new* Portal design

Give us your opinion after using it.

Search Results

Nothing Found

Your search for the *Phrase* **wireless <and> two-way <and> communication <and> agent <and> auto <and> input <and> feed** did not return any results.
To search for *terms* separate them with **AND** or **OR**.
Click on the suggested options:

wireless AND <and> AND two-way AND <and> AND communication AND <and> AND agent AND <and> AND auto AND <and> AND input AND <and> AND feed

wireless OR OR two-way OR OR communication OR OR agent OR OR auto OR OR input OR OR feed

To search for names try using only the last or first name.

You may revise it and try your search again below or click advanced search for more options.

wireless <and> two-way <and>
communication <and> agent
<and> auto <and> input <and>
feed

[Advanced Search] [Search Help/Tips]

Complete Search Help and Tips

The following characters have specialized meaning:

Special Characters	Description
, ( ) [	These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
` @ \Q < { [!	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.

USPTO

Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[wireless <and> two-way <and> communication <and> agent <and> auto <and> input <and> real]**
Found **5** of **156,259 searched.**

Search within Results

> Advanced Search

> Search Help/Tips

Sort by: Title   Publication   Publication Date   Score   ❤ Binder

---

Results 1 - 5 of 5   short listing

---

1 An Architecture for the Integration of Physical and Informational Spaces 77%
Scott M. Thayer , Peter Steenkiste
Personal and Ubiquitous Computing July 2003
Volume 7 Issue 2
> AbstractWhile computer processing power, storage capacity, and bandwidth are continuing to experience exponential growth, individual human processing capabilities are not increasing significantly. Pervasive computing offers an opportunity for applications to interact with the physical environment and to provide a task-centric and mobile infrastructure for the user. However, this rich environment can also be distracting, in part because of a lack of convergence between the physical infrastructure ...

2 Exploiting space and location as a design framework for interactive   77%
mobile systems
Alan Dix , Tom Rodden , Nigel Davies , Jonathan Trevor , Adrian Friday , Kevin Palfreyman
ACM Transactions on Computer-Human Interaction (TOCHI) September 2000
Volume 7 Issue 3
> This article considers the importance of context in mobile systems. It considers a range of context-related issues and focus on location as a key issue for mobile systems. A design framework is described consisting of taxonomies of location, mobility, population, and device awareness. The design framework inorms the construction of a semantic model of space for mobile systems. The semantic model is reflected in a computational model built on a distriuted platform that allows contextual info ...

3 Adapting to network and client variability via on-demand dynamic   77%
distillation
Armando Fox , Steven D. Gribble , Eric A. Brewer , Elan Amir
Proceedings of the seventh international conference on Architectural support for

programming languages and operating systems October 1996
Volume 30 , 31 Issue 5 , 9
>The explosive growth of the Internet and the proliferation of smart cellular phones and handheld wireless devices is widening an already large gap between Internet clients. Clients vary in their hardware resources, software sophistication, and quality of connectivity, yet server support for client variation ranges from relatively poor to none at all. In this paper we introduce some design principles that we believe are fundamental to providing "meaningful" Internet access for the entire range of ...

4 Pen computing: a technology overview and a vision   77%
André Meyer
ACM SIGCHI Bulletin July 1995
Volume 27 Issue 3
>This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions.Starting with a short historic ...

5 The Internet and interactive television   77%
Larry Press
**Communications of the ACM** December 1993
Volume 36 Issue 12

Results 1 - 5 of 5   short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

PORTAL
THE ACM DIGITAL LIBRARY

Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[wireless <and> two-way <and> communication <and> agent <and> auto <and> input <and> real <and> time]**
Found **5** of **156,259 searched.**

Search within Results

> Advanced Search

> Search Help/Tips

Sort by: Title   Publication   Publication Date   Score   ❧ Binder

Results 1 - 5 of 5   short listing

1   An Architecture for the Integration of Physical and Informational Spaces   77%
Scott M. Thayer , Peter Steenkiste
Personal and Ubiquitous Computing July 2003
Volume 7 Issue 2

AbstractWhile computer processing power, storage capacity, and bandwidth are continuing to experience exponential growth, individual human processing capabilities are not increasing significantly. Pervasive computing offers an opportunity for applications to interact with the physical environment and to provide a task-centric and mobile infrastructure for the user. However, this rich environment can also be distracting, in part because of a lack of convergence between the physical infrastructure ...

2   Exploiting space and location as a design framework for interactive   77%
mobile systems
Alan Dix , Tom Rodden , Nigel Davies , Jonathan Trevor , Adrian Friday , Kevin Palfreyman
ACM Transactions on Computer-Human Interaction (TOCHI) September 2000
Volume 7 Issue 3

This article considers the importance of context in mobile systems. It considers a range of context-related issues and focus on location as a key issue for mobile systems. A design framework is described consisting of taxonomies of location, mobility, population, and device awareness. The design framework inorms the construction of a semantic model of space for mobile systems. The semantic model is reflected in a computational model built on a distriuted platform that allows contextual info ...

3   Adapting to network and client variability via on-demand dynamic   77%
distillation
Armando Fox , Steven D. Gribble , Eric A. Brewer , Elan Amir
Proceedings of the seventh international conference on Architectural support for

programming languages and operating systems October 1996
Volume 30 , 31 Issue 5 , 9

> The explosive growth of the Internet and the proliferation of smart cellular phones and handheld wireless devices is widening an already large gap between Internet clients. Clients vary in their hardware resources, software sophistication, and quality of connectivity, yet server support for client variation ranges from relatively poor to none at all. In this paper we introduce some design principles that we believe are fundamental to providing "meaningful" Internet access for the entire range of ...

4 Pen computing: a technology overview and a vision   77%

André Meyer
ACM SIGCHI Bulletin July 1995
Volume 27 Issue 3

> This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions.Starting with a short historic ...

5 The Internet and interactive television   77%

Larry Press
Communications of the ACM December 1993
Volume 36 Issue 12

Results 1 - 5 of 5   short listing

IEEE Xplore
RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((wireless <and> two-way <and> communication <and> agent <and> auto <and&..."   ☑ e-mail
Your search matched **0** of **1168854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

Modify Search

((wireless <and> two-way <and> communication <and> agent <and> auto <and> inp ⟫

| IEEE JNL | IEEE Journal or Magazine |

☐ Check to search only within this results set

| IEE JNL | IEE Journal or Magazine |

Display Format: ◉ Citation   ○ Citation & Abstract

| IEEE CNF | IEEE Conference Proceeding |

| IEE CNF | IEE Conference Proceeding |

No results were found.

| IEEE STD | IEEE Standard |

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help   Contact Us   Privacy & :

IEEE *Xplore*
RELEASE 2.0

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Results

Results for "((wireless <and> two-way <and> communication <and> agent <and> auto)<in&..."
Your search matched **0** of **1168854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» View Session History

» New Search

» Key

Modify Search

((wireless <and> two-way <and> communication <and> agent <and> auto)<in>meta| »

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

☐ Check to search only within this results set

Display Format: ◉ Citation   ◯ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help   Contact Us   Privacy & :

© Copyright 2005 IEEE --

Indexed by
■ Inspec

IEEE *Xplore* RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((wireless <and> two-way <and> communication <and> agent)<in>metadata)"   ☑ e-mail
Your search matched **3** of **1168854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((wireless <and> two-way <and> communication <and> agent)<in>metadata)   »

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

Select   **Article Information**

☐ 1. **User agents and flexible messages: a new approach to wireless two-way messag**
Woo, T.Y.C.; La Porta, T.F.; Sabnani, K.K.;
Network Protocols, 1997. Proceedings., 1997 International Conference on
28-31 Oct. 1997 Page(s):53 - 62
AbstractPlus | Full Text: PDF(912 KB)   IEEE CNF

☐ 2. **Pigeon: a wireless two-way messaging system**
Woo, T.; La Porta, T.F.; Sabnani, K.K.;
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seventh IEEE Symposium on
Volume 2, 15-18 Oct. 1996 Page(s):693 - 697 vol.2
AbstractPlus | Full Text: PDF(600 KB)   IEEE CNF

☐ 3. **Pigeon: a wireless two-way messaging system**
Woo, T.Y.C.; La Porta, T.F.; Sabnani, K.K.;
Selected Areas in Communications, IEEE Journal on
Volume 15, Issue 8, Oct. 1997 Page(s):1391 - 1405
AbstractPlus | References | Full Text: PDF(228 KB)   IEEE JNL

Help   Contact Us   Privacy & :

Indexed by
■ inspec*